

Compressor		
Model		ASM135N1UEZ
Type		ROTARY
Brand		GMCC
Capacity	W	4000
Input	W	1310
Rated current	A	6.35
Locked rotor Amp(LRA)	A	34.5
Thermal protector		UP3-43/HPA -630
Thermal protector position		INTERNAL
Capacitor	uF	35
Refrigerant oil/oil charge	ml	ESTER OIL RB68A F/350

Air flow and noise level		
Indoor side air flow(Hi/Mi/Lo)	m3/h	635/586/530
Indoor side noise level (Hi/Mi/Lo)	dB(A)	53/52.5/52
Outdoor side noise level(Hi)	dB(A)	67
System data		
Refrigerant type (R410A)	Refrigerant type	R410A
	kg	1.05
	oz(1kg=35.274oz)	37.0377
Design pressure(145psi=1MPa)	psi	300/540

Dimension and Weight		
Dimension(W*D*H)	mm	1067x532x406
	in	42.01x20.94x15.98
Packing (W*D*H)	mm	1130x625x490
	in	44.49x24.61x19.29
Net/Gross weight	kg	53/57.4
	lb	116.84/126.54

Dimension 1 (no sleeve, no rear grille, no rear net)			
Model	W(inch)	D(inch)	H(inch)
MWIUP-15AEN1-MJ6	42	15.9	20.9
MWIUP-12AEN1-MK6	42	15.9	20.9
MWIUP-09AEN1-ML8	42	15.9	20.9
MWIUP-07AEN1-MM1	42	15.9	20.9

Dimension 1 (include sleeve, rear grille, and rear net)			
Model	W(inch)	D(inch)	H(inch)
MWIUP-15AEN1-MJ6	42	16.0	23.9
MWIUP-12AEN1-MK6	42	16.0	23.9
MWIUP-09AEN1-ML8	42	16.0	23.9
MWIUP-07AEN1-MM1	42	16.0	23.9

Unit dimension

